



5.5 Cbm Fuel Type Trash Dump Truck Garbage Tipper With Rear Loader

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: DONGFENG
- Certification: CCC
- Model Number: 5.5Refuser Collector
- Minimum Order Quantity: 1 units
- Price: USD15000~25000/unit
- Packaging Details: naked, with wax; shipped by container, ro-ro ship, train or long vehicle
- Delivery Time: depends on order quantity
- Payment Terms: T/T, L/C, Western Union, MoneyGram
- Supply Ability: 1000units/month



Product Specification

- Overall Size: 6003×2050×2900mm
- Driving Form: 4*2
- Total Weight: 7360kg
- Curb Weight: 5365kg
- Rated Loading: 5.5cbm
- Wheel Base: 3300mm
- F/R Tread: 1506/1466mm
- Maximum Speed: 80km/h
- Fuel Type: Diesel Engine
- Engine Type: CY4100Q
- Max. Power: 82hp At 3200rpm
- Displacement: 3707ml
- Emission Level: Eur.III
- Cab: Single Row Cab, 3passengers
- Tyres: No.6+1 7.00R16



for more products please visit us on battery-generator.com

Product Description

5.5 cbm fuel garbage compactor truck for sale garbage collector with rear loader

Garbage Product Detailed Specification:

Model	S55Refuse Compactor
Driving Form	4X2
Overall Size	6000×2050×2900mm
Wheel Base	3300mm
Curb weight	5365kg
Chassis Dimension	5820×1940×2080mm
Front/Rear Track	1506/1466mm
Front/rear suspension	1032/1488mm
Rated Loading Capacity	5.5CBM
Max Speed	80km/h
Fuel Type	Diesel
Engine Model	CY4100Q
Power(Kw/HP)	82hp at 3200rpm
Maximum torque(N.m)	230N.m
Displacement(L)	3707ml
Emission Standard	Euro III
Front Axle Loading	2.0T
Rear Axle Loading	4.0T
Tires	7.00R16, 6+1 tires
Fuel tank	350L

Garbage Truck Description:

- The main device of the vehicle is composed of a box and a compression system, which is used for garbage collection and transportation. The vehicle only uses a 3308mm wheelbase chassis, and the corresponding relationship between the optional working device and the contour length (mm)/rear extension (mm)/curb weight (kg): 6840/1677/5630 for the bucket tipping device, 6600/1437/5630 for the swing arm device, 6650/1487/5630 for the fully sealed bucket device, 6443/1280/5300 for the optional non-loading device, 6840/1677/5430 for the semi-sealed bucket device;
- The side protection material is Q235, which is connected by bolts; The rear guard is replaced by a device, and the lower edge is 495mm above the ground;
- The vehicle can be equipped with a rear sealing cover device. ABS model/manufacturer: ABS/ASR-12V-4S/4M/Xiangyang Dongfeng Longcheng Machinery Co., Ltd. The corresponding relationship of engine/fuel consumption value L/100km: D20TCIF1/16.2, YCY24140-60/16.2, CA4DB1-11E6/16.2, ZD30D16-6N/16.2, CY4BK461/16.2, CY4BK161/16.2. Optional front mask, front bumper and front combination lamp. Optional left and right fuel tank position.

Products HD pictures:





Packing and Shipping:

FQA:

Q:How about the delivery time?

A: Most of our trucks are made to new order, so the delivery time is usually 20~45days.

Q:How about shipping ?

A: Big size trucks always shipping by RORO or Bulk ship or flat bed container or open top container, small type can shipping by container ,

Pls contact us to get a shipping quotation .

Q: How many trucks does your factory produce per years?

A: Almost 3000 units one month.

Q: How about your product After-sales service system?

A: Our main export country have accepted after-sales service,some of country used the third department service.

Q: Do you accept Custom orders? What's is your MOQ order?

A: Yes, we do, our MOQ is depends on exact model, mostly is 1 unit.

Q:Which country do you have exported to?

A: our special trucks can be found in many parts of the world, such as Russia, Ukraine,Uzbekistan,Jordan, Chile, Brazil, Thailand, Malaysia, Lebanon etc, and gain good reputation from local market.

Contact Form:



HaiNan SynYune EV Technology Co.,Ltd



SYJackie@163.com



battery-generator.com

No. 4 Jipu Road, Xinyingwan District, Yangpu EDZ, Hainan Province